

QUALIFIED GRID SUPPORT UTILITY INTERACTIVE INVERTERS AND CONTROLLERS AND EQUIPMENT FOR CUSTOMER SELF-SUPPLY AND NEM PLUS SYSTEMS

Last Updated: 04/01/2024

The following list of certified advanced inverters with associated equipment has been approved by the Companies for use with the Customer Self-Supply (Rule 22), NEM Plus (Rule 27), and Smart Renewable Energy Non-Export (Rule 32) programs. The equipment manufacturers represent that the designated models with associated firmware have been formally certified to Underwriters Laboratories Standard 1741 (“UL 1741”) 3rd Edition, per the Companies interconnection requirements.

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|---------------------------|----------------------|--|--------------------|
| CSS System | Alpha ESS Suzhou Co., LTD | Hawaii SRD 2.0 | SMILE-SP7.6-INV w/ Meter (AGF-AE-D/200 2CT) | 000019 or higher |
| CSS System | Alpha ESS Suzhou Co., LTD | Hawaii SRD 2.0 | SMILE-SP9.6-INV w/ Meter (AGF-AE-D/200 2CT) | 000019 or higher |
| CSS System | Alpha ESS Suzhou Co., LTD | Hawaii SRD 2.0 | SMILE-SPB7.6-INV w/ Meter (AGF-AE-D/200 2CT) | 000019 or higher |
| CSS System | Alpha ESS Suzhou Co., LTD | Hawaii SRD 2.0 | SMILE-SPB9.6-INV w/ Meter (AGF-AE-D/200 2CT) | 000019 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | DS3 w/ ECU-C, CT or ECU-R, Meter CT | V5 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | DS3-H w/ ECU-C, CT or ECU-R, Meter CT | V5 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | DS3-L w/ ECU-C, CT or ECU-R, Meter CT | V5 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | DS3-S w/ ECU-C, CT or ECU-R, Meter CT | V5 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | ELS-3K w/ CT or Meter | V1.2.3.2 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | ELS-5K w/ CT or Meter | V1.2.3.2 or higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | QT2 (208 Vp-p) w/ ECU-C, CT or ECU-R, Meter CT | V3 or Higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | QT2 (480 Vp-p) w/ ECU-C, CT or ECU-R, Meter CT | V3 or Higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | QT2-208 w/ ECU-C, CT or ECU-R, Meter CT | V3 or Higher |
| CSS System | Altenergy Power Systems | Hawaii SRD V2.0 | QT2-480 w/ ECU-C, CT or ECU-R, Meter CT | V3 or Higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E10-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E10-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E10-TL-US(AC) (208Vp-p) | 1.6.2 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|-----------------------|----------------------|--|---------------------|
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E10-TL-US(AC) (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E10 BDI (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E10 BDI (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E4-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E4-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E4-TL-US(AC) (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E4-TL-US(AC) (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E4 BDI (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E4 BDI (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E6-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E6-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E6-TL-US(AC) (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E6-TL-US(AC) (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E6 BDI (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E6 BDI (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8 Plus-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8 Plus-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8 Plus-TL-US(AC) (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8 Plus-TL-US(AC) (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8-TL-US(AC) (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8-TL-US(AC) (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8 BDI (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | E8 BDI (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M10-4-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M10-4-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M10-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M10-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M4-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M4-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M5-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M5-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M6-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M6-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M8-TL-US (208Vp-p) | 1.6.2 or higher |
| CSS System | Delta Electronics | Hawaii SRD V2.0 | M8-TL-US (240Vp-p) | 1.6.2 or higher |
| CSS System | Duracell Power Center | Hawaii SRD V2.0 | D-1500M4 (208Vp-p) w/ PC-PRO-C or PC-PRO-WIFI and Three-phase electric meter | V01.00.00 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|-----------------------|----------------------|--|--|
| CSS System | Duracell Power Center | Hawaii SRD V2.0 | D-1500M4 (240Vp-p) w/ PC-PRO-C or PC-PRO-WIFI and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Duracell Power Center | Hawaii SRD V2.0 | D-350M1 (208Vp-p) w/ PC-PRO-C or PC-PRO-WIFI and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Duracell Power Center | Hawaii SRD V2.0 | D-350M1 (240Vp-p) w/ PC-PRO-C or PC-PRO-WIFI and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Duracell Power Center | Hawaii SRD V2.0 | D-700M2 (208Vp-p) w/ PC-PRO-C or PC-PRO-WIFI and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Duracell Power Center | Hawaii SRD V2.0 | D-700M2 (240Vp-p) w/ PC-PRO-C or PC-PRO-WIFI and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | ENCHARGE-10-1P-NA w/ Envoy Communication Gateway, AC Combiner Envoy | V1.24.02, V1.27.01, V1.31.1, V3.24.01 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | ENCHARGE-10T-1P-NA w/ Envoy Communication Gateway, AC Combiner Envoy | V1.24.02, V1.27.01, V1.31.1, V3.24.01 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | ENCHARGE-3-1P-NA w/ Envoy Communication Gateway, AC Combiner Envoy | V1.24.02, V1.27.01, V1.31.1, V3.24.01 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | ENCHARGE-3T-1P-NA w/ Envoy Communication Gateway, AC Combiner Envoy | V1.24.02, V1.27.01, V1.31.1, V3.24.01 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7-60 w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7A (208 Vac) w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|----------------|----------------------|---|--|
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7A (240 Vac) w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7AS-66(240Vp-p) w/ Production and Consumption CTs PVS6 | Version 20.0 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7HS (208Vac) w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7HS (240Vac) w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7HS-66 (208Vp-p) w/ Production and Consumption CTs PVS6 | Version 20.0 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7HS-66 (240Vp-p) w/ Production and Consumption CTs PVS6 | Version 20.0 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7PD-72-2-US w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7PD-84-2-US w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|----------------|----------------------|--|--|
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7PLUS-72 w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7X-96 w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ7XS-96 w/ Envoy, AC Combiner Box | v02.12.00, v02.14.02, v04.14.05, v04.17.01, v04.18.02, v04.20.03, v04.26.09, v04.27.04, V04.28.07, V04.30.22, V04.40.01 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8-60 w/ Envoy, AC Combiner Box | V2.19.01, V2.22.02, V2.23.01, V2.27.02, V2.38.02, V2.38.03, V2.39.01, V2.42.02, V2.45.02, V2.45.04 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8A-72 w/ Envoy, AC Combiner Box | V2.19.01, V2.22.02, V2.23.01, V2.27.02, V2.38.02, V2.38.03, V2.39.01, V2.42.02, V2.45.02, V2.45.04 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8AC-72-M-US (208Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.45.02 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8AC-72-M-US (240 Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.45.02 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8H-208-72 w/ Envoy, AC Combiner Box | V2.19.01, V2.22.02, V2.23.01, V2.27.02, V2.38.02, V2.38.03, V2.39.01, V2.42.02, V2.45.02, V2.45.04 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|----------------|----------------------|--|---|
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8H-240-72 w/ Envoy, AC Combiner Box | V2.19.01, V2.22.02, V2.23.01, V2.27.02, V2.38.02, V2.38.03, V2.39.01, V2.42.02, V2.45.02, V2.45.04 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8H-3P-72 w/ Energy IQ Envoy, AC Combiner box | V2.57.03 or higher |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8HC-72-M-US (208Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.45.02 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8HC-72-M-US (240 Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.45.02 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8M-72 w/ Envoy, AC Combiner Box | V2.19.01, V2.22.02, V2.23.01, V2.27.02, V2.38.02, V2.38.03, V2.39.01, V2.42.02, V2.45.02, V2.45.04 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8MC-72-M-US (208Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.45.02 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8MC-72-M-US (240 Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.45.02 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8P-3P-72 w/ Energy IQ Envoy, AC Combiner box | V2.57.03 or higher |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8P-72-2-US w/ Energy IQ Gateway, AC Combiner box | V7.04.01 or higher |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8PLUS-72 w/ Envoy, AC Combiner Box | V2.19.01, V2.22.02, V2.23.01, V2.27.02, V2.38.02, V2.38.03, V2.39.01, V2.42.02, V2.45.02, V2.45.04 or higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8X-80 (208Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.61.01 or higher |
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQ8X-80 (240Vp-p) w/ Energy IQ Envoy, AC Combiner box | V2.61.01 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|----------------------------------|----------------------|--|--|
| CSS System | Enphase Energy | Hawaii SRD V2.0 | IQBATTERY-5P-1P-NA w/ Envoy Communication Gateway, AC Combiner Envoy, IQ Combiner 5/5C | V4.31.01 or Higher and with Grid profiles HEI SRD V2.0 CGS and HEI SRD V2.0 CSS |
| CSS System | Fortress Power | Hawaii SRD V2.0 | FP-ENVY-12K (208 Vp-p) w/ eFlex 5.4 and eVault Max | fA1.0 or higher |
| CSS System | Fortress Power | Hawaii SRD V2.0 | FP-ENVY-12K (240 Vp-p) w/ eFlex 5.4 and eVault Max | fA1.0 or higher |
| CSS System | FranklinWH Technologies Co., Ltd | Hawaii SRD V2.0 | aPower X, with aGate X (208Vp-p) | V10R00B00 or higher |
| CSS System | FranklinWH Technologies Co., Ltd | Hawaii SRD V2.0 | aPower X, with aGate X (240 Vp-p) | V10R00B00 or higher |
| CSS System | Generac | Hawaii SRD V2.0 | XVT076A03 w/ LEM CT, CASR-50-NP, LEM S A CT, HLSR20P and Neurio Echun, 011.0021B.F | V13845 checksum dce259439976a7ea1760bc416551b6b3 with Grid Profile HECO SRD V2.0 |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC11.4-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC5.0-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC5.0-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC6.0-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC6.0-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC7.0-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC7.6-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC7.6-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC8.6-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC9.6-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEC9.6-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH11.4-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH5.0-1U-US10 | 000019 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|------------------------------|----------------------|---|------------------|
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH5.0-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH6.0-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH6.0-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH7.0-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH7.6-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH7.6-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH8.6-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH9.6-1U-US10 | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEH9.6-1U-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP11.4-1-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP11.4-1-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP5.0-1-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP5.0-1-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP6.0-1-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP6.0-1-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP7.6-1-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP7.6-1-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP7.7-1-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP7.7-1-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP9.6-1-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GEP9.6-1-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW11K4-ES-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW11K4-MS-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW11K4-MS-US30 (240Vp-p) w/ Meter | 000000 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|------------------------------|----------------------|--|--------------------|
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW11K4-SBP-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000-ES-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000-MS-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000-MS-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000-SBP-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000A-BP | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000A-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000A-MS | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW5000H-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW50K-SMT-US w/ Meter | 00.00.01 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000-ES-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000-MS-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000-MS-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000-SBP-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000A-BP | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000A-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000A-MS | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW6000H-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW60K-SMT-US w/ Meter | 00.00.01 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7000A-BP | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7000A-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7000A-MS | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7000H-ES | 000019 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|------------------------------|----------------------|--|--|
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600-ES-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600-MS-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600-MS-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600-SBP-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600A-BP | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600A-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600A-MS | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7600H-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7700-MS-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW7700-MS-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW8600A-BP | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW8600A-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW8600A-MS | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW8600H-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600-ES-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600-MS-US30 (208Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600-MS-US30 (240Vp-p) w/ Meter | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600-SBP-US20 w/ Meter or Goodwe Automatic backup device | 000000 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600A-BP | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600A-ES | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600A-MS | 000019 or higher |
| CSS System | GoodWe Technologies Co.,Ltd. | Hawaii SRD V2.0 | GW9600H-ES | 000019 or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT A3.8SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT A5.0SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03) or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|---------------------------------|----------------------|---|--|
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT A6.0SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT A7.6SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT H3.8SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03, AFCI V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT H5.0SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03, AFCI V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT H6.0SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03, AFCI V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT H7.6SX w/ Q.HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03, AFCI V1.03) or higher |
| CSS System | Hanwha Q CELLS America Inc | Hawaii SRD V2.0 | Q.VOLT HOME HUB 200SX | Master DSP V1.05 (Slave DSP V1.03) or higher |
| CSS System | Holu Hou Energy LLC | Hawaii SRD V2.0 | HH5000H-HI w/ MEC, Meter, and Current Transformer | 000013 or greater |
| CSS System | Holu Hou Energy LLC | Hawaii SRD V2.0 | HH6000H-HI w/ MEC, Meter, and Current Transformer | 000013 or greater |
| CSS System | Holu Hou Energy LLC | Hawaii SRD V2.0 | HH7000H-HI w/ MEC, Meter, and Current Transformer | 000013 or greater |
| CSS System | Holu Hou Energy LLC | Hawaii SRD V2.0 | HH7600H-HI w/ MEC, Meter, and Current Transformer | 000013 or greater |
| CSS System | Holu Hou Energy LLC | Hawaii SRD V2.0 | HH8600H-HI w/ MEC, Meter, and Current Transformer | 000013 or greater |
| CSS System | Holu Hou Energy LLC | Hawaii SRD V2.0 | HH9600H-HI w/ MEC, Meter, and Current Transformer | 000013 or greater |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-1200NT (208Vp- p) w/ DTU Pro and three-phase Electric meter | V01.00.00 or higher, US_HECO SRD V2.0_208V |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-1200NT (240Vp- p) w/ DTU Pro and split-phase Electric meter | V01.00.00 or higher, US_HECO SRD V2.0_240V |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-1500NT (208Vp- p) w/ DTU Pro and three-phase Electric meter | V01.00.00 or higher, US_HECO SRD V2.0_208V |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-1500NT (240Vp- p) w/ DTU Pro and split-phase Electric meter | V01.00.00 or higher, US_HECO SRD V2.0_240V |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-300NT (208Vp-p) w/ DTU-Pro and Three-phase electric meter | V01.00.00 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|---------------------------------|----------------------|---|---------------------|
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-300NT (240Vp-p) w/ DTU-Pro and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-350NT (208Vp-p) w/ DTU-Pro and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-350NT (240Vp-p) w/ DTU-Pro and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-400NT (208Vp-p) w/ DTU-Pro and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-400NT (240Vp-p) w/ DTU-Pro and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-600NT (208Vp-p) w/ DTU-Pro and Three Phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-600NT (240Vp-p) w/ DTU-Pro and Split Phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-700NT (208Vp-p) w/ DTU-Pro and Three Phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-700NT (240Vp-p) w/ DTU-Pro and Split Phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-800NT (208Vp-p) w/ DTU-Pro and Three Phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HM-800NT (240Vp-p) w/ DTU-Pro and Split Phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-1000-2T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-1000-2T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-1600-4T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-1600-4T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-1800-4T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-1800-4T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase Electric Meter | V01.00.00 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|---------------------------------|----------------------|---|---------------------|
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-2000-4T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-2000-4T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-350-1A-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-350-1A-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-350-1T-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-350-1T-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-400-1A-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-400-1A-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-400-1T-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-400-1T-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-450-1A-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-450-1A-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-450-1T-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-450-1T-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-500-1A-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|---------------------------------|----------------------|--|---------------------|
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-500-1A-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-500-1T-NA (208Vp-p) w/ DTU-Pro-S and Three-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-500-1T-NA (240Vp-p) w/ DTU-Pro-S and Split-phase electric meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-700-2T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-700-2T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-800-2T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-800-2T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-900-2T-NA (208Vp-p) w/ DTU-Pro-S, Three-phase Electric Meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMS-900-2T-NA (240Vp-p) w/ DTU-Pro-S, Split-phase meter | V01.00.00 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMT-1600-4T-208 (208Vp-p) w/ DTU-Pro-S and Three Phase Meter | V01.00.03 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMT-1800-4T-208 (208Vp-p) w/ DTU-Pro-S and Three Phase Meter | V01.00.03 or higher |
| CSS System | Hoymiles Power Electronics Inc. | Hawaii SRD V2.0 | HMT-2000-4T-208 (208Vp-p) w/ DTU-Pro-S and Three Phase Meter | V01.00.03 or higher |
| CSS System | LG Electronics | Hawaii SRD V2.0 | RBA008K0A00 w/ Home 8 (RA768K16A11) and Smart Energy Box (REA200AP0) | V1.1.1712 or higher |
| CSS System | Northern Electric & Power Co. | Hawaii SRD V2.0 | BDM-550 w/ BDM-NZ-SP-100 or BDM-NZ-SP-200 | 9200 or Higher |
| CSS System | Northern Electric & Power Co. | Hawaii SRD V2.0 | BDM-650 w/ BDM-NZ-SP-100 or BDM-NZ-SP-200 | 9200 or Higher |
| CSS System | Northern Electric & Power Co. | Hawaii SRD V2.0 | BDM-800 (208 Vp-p) w/ BDM-NZ-SP-100 or BDM-NZ-SP-200 | 9200 or Higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|---|----------------------|--|--|
| CSS System | Northern Electric & Power Co. | Hawaii SRD V2.0 | BDM-800 (240 Vp-p) w/ BDM-NZ-SP-100 or BDM-NZ-SP-200 | 9200 or Higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVAC-I3 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVAC-I5 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVAC-I6 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVAC-I7 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVHB-I3 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVHB-I5 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVHB-I6 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Panasonic Corporation of North America | Hawaii SRD V2.0 | EVHB-I7 w/ EV-SB | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | Schneider Electric | Hawaii SRD V2.0 | XW Pro 6848 NA (120 Vp-p), w/ Conext Gateway, InsightFacility, InsightHome | V2.04BN17 or higher |
| CSS System | Schneider Electric | Hawaii SRD V2.0 | XW Pro 6848 NA (240 Vp-p), w/ Conext Gateway, InsightFacility, InsightHome | V2.04BN17 or higher |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-5-10-G-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-5-10-W-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|--|----------------------|---|---|
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-6-13-G-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-6-13-W-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-7-16-G-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-7-16-W-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-7-20-G-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen Eternalplanet Energy Pingshan Ltd. | Hawaii SRD V2.0 | EP CUBE NA-7-20-W-1 w/ Internal Li-ion battery packs, smart gateway | V2.0 |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 1000TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 1000TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 11400TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 11400TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 3000TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 3000TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 3800TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 3800TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 3800TL-XH-US(S) w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 5000TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 5000TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 6000TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0(checksum:8CB43554CCBB5D85F0581EA268A5C28) |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|--|----------------------|--|--|
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 6000TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0 (checksum:8CB43554C CBB5D85F0581EA268 A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 7600TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0 (checksum:8CB43554C CBB5D85F0581EA268 A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 7600TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE1.0 (checksum:8CB43554C CBB5D85F0581EA268 A5C28) |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 7600TL-XH-US(S) w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 8200TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 8200TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 9000TL-XA-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | Shenzhen GroWatt New Energy Technolgy Co Ltd | Hawaii SRD V2.0 | MIN 9000TL-XH-US w/ Smart Meter AGF-AE-D or SU-US-200 | UE 1.0 or higher |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 20-US-50 w/ SMA Data Manager and Energy Meter | 3.02.05.R or higher |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 25-US-50 w/ SMA Data Manager and Energy Meter | 3.02.05.R or higher |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 30-US-50 w/ SMA Data Manager and Energy Meter | 3.02.05.R or higher |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 33-US-41Data Manager and Energy Meter | 01.05.03.R and up |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 50-US-40 w/ Data Manager and Energy Meter | 01.05.03.R and up |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 50-US-41 w/ Data Manager and Energy Meter | 01.05.03.R and up |
| CSS System | SMA America, LLC | Hawaii SRD V2.0 | STP 62-US-41 w/ Data Manager and Energy Meter | 01.05.03.R and up |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | 30K-3P-208V w/ No Additional Equipment | MCU: Ver1057 or later and COMM: 101F - XXXX or later |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | 60K-3P-480V w/ 3 x 2 CT sensors (Model: CTK 160702) | MCU: Ver1057 or later |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | Limitless 15K-LV (208Vp-p) w/ No additional Equipment | v7214 and higher |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | Limitless 15K-LV (240Vp-p) w/ No Additional Equipment | v7214 and higher |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|--------------|----------------------|---|--|
| CSS System | Sol-Ark | Hawaii SRD V2.0 | Sol-Ark 12K-P (208Vp-p) w/ No Additional Equipment | MCU xx22 or Higher |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | Sol-Ark 12K-P (240Vp-p) w/ No Additional Equipment | MCU xx22 or Higher |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | Sol-Ark 8K-48-ST (208Vp-p) w/ No Additional Equipment | MCU xx22 or Higher |
| CSS System | Sol-Ark | Hawaii SRD V2.0 | Sol-Ark 8K-48-ST (240Vp-p) w/ No Additional Equipment | MCU xx22 or Higher |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE10000H-US w/ Export/Import Meter | 2.100.1204 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE100KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE10KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE11400H-US w/ Export/Import Meter | 2.100.1204 or higher |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE120KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE14.4KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE17.3KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE3000H-US w/ Export/Import Meter | 2.100.1204 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE30KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE33.3KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE3800H-US w/ Export/Import Meter | 2.100.1204 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE40KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE43.2KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE5000H-US w/ Export/Import Meter | 2.100.1204 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE50KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE6000H-US w/ Export/Import Meter | 2.100.1204 or higher w/ Country Code Profile US/Hawaii |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|-----------------------------------|----------------------|---|---|
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE66.6KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE7600H-US w/ Export/Import Meter | 2.100.1204 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolarEdge | Hawaii SRD V2.0 | SE80KUS w/ Export/Import Meter | 2.20.710 or higher w/ Country Code Profile US/Hawaii |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-AC-3.8K-G2 w/ A1- BI-200-G2 | Master DSP V1.05(Slave DSP V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-AC-5.0K-G2 w/ A1- BI-200-G2 | Master DSP V1.05(Slave DSP V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-AC-6.0K-G2 w/ A1- BI-200-G2 | Master DSP V1.05(Slave DSP V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-AC-7.6K-G2 w/ A1- BI-200-G2 | Master DSP V1.05(Slave DSP V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-HYB-3.8K-G2 w/ A1-BI-200-G2 | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-HYB-5.0K-G2 w/ A1-BI-200-G2 | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-HYB-6.0K-G2 w/ A1-BI-200-G2 | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | SolaX Power Network Technology | Hawaii SRD V2.0 | A1-HYB-7.6K-G2 w/ A1-BI-200-G2 | Master DSP V1.05(Slave DSP V1.03,AFCI V1.03) or higher |
| CSS System | SunPower | Hawaii SRD 2.0 | SPWR-A4 (240Vp-p) w/ Production and Consumption CTs PVS6 | Version 20.0 or higher with grid profile HECO_IEEE_1547- 2018 v01.1 |
| CSS System | SunPower | Hawaii SRD 2.0 | SPWR-A5 (208Vp-p) w/ Production and Consumption CTs PVS6 | Version 20.0 or higher with grid profile HECO_IEEE_1547- 2018 v01.1 |
| CSS System | SunPower | Hawaii SRD 2.0 | SPWR-A5 (240Vp-p) w/ Production and Consumption CTs PVS6 | Version 20.0 or higher with grid profile HECO_IEEE_1547- 2018 v01.1 |
| CSS System | Tesla | Hawaii SRD V2.0 | Powerwall 3 1707000- XX-Y w/ Gateway2 or Backup Switch | c5773b136a9ef9be905 7302a67258482 and dcq80iBXbQWYnK9Uh CAjvl02/py2MZymmww AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla AC Powerwall 2 2012170-xx-y w/ Gateway2 (1232100- xx-y) or Backup Switch (1624171-xx-y) | 1.7.0 and higher 3700B98CF516D8D842 1D23891E9AD8D5 & dcq80iBXbQWYnK9Uh CAjvl02/py2MZymmww AQYOn8jSc= |

| Technology Type | Manufacturer | HI SRD Certification | Model | Firmware Version |
|-----------------|--------------|----------------------|--|--|
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla AC Powerwall 2 3012170-xx-y w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1.7.0 and higher 3700B98CF516D8D842 1D23891E9AD8D5 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla Megapack2 1748844-XX-Y w/ Site Controller Model: 1471208-XX-Y | 9lWD23njXAz+y3gW4k 5ZNZ2Us+MSb5f+I5KN Qtp7Yq0= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla Megapack2XL 1848844-XX-Y w/ Site Controller Model: 1471208-XX-Y | 9lWD23njXAz+y3gW4k 5ZNZ2Us+MSb5f+I5KN Qtp7Yq0= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla Powerwall+ 1850000-XX-Y w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1217B43E9B859EAB26 ECB10B5FBECC64 & 3700B98CF516D8D842 1D23891E9AD8D5 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla PV Inverter 1534000-XX-Y w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1217B43E9B859EAB26 ECB10B5FBECC64 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla PV Inverter 1538000-XX-Y (240Vp-p, 3.8kW) w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1217B43E9B859EAB26 ECB10B5FBECC64 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla PV Inverter 1538000-XX-Y (240Vp-p, 5.7kW) w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1217B43E9B859EAB26 ECB10B5FBECC64 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla PV Inverter 1538000-XX-Y (240Vp-p, 5kW) w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1217B43E9B859EAB26 ECB10B5FBECC64 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Tesla | Hawaii SRD V2.0 | Tesla PV Inverter 1538000-XX-Y (240Vp-p, 7.6kW) w/ Gateway2 (1232100-xx-y) or Backup Switch (1624171-xx-y) | 1217B43E9B859EAB26 ECB10B5FBECC64 & dcq8OiBXbQWYnK9Uh CAjvl02/py2MZymmw AQYOn8jSc= |
| CSS System | Yotta Energy | Hawaii SRD V2.0 | DPI-208 w/ ECU-C, CT or ECU R, Meter, CT | V3 or Higher |
| CSS System | Yotta Energy | Hawaii SRD V2.0 | DPI-480 w/ ECU-C, CT or ECU R, Meter, CT | V3 or Higher |